


Technical specifications

Compressor: rotating SCROLL
 Refrigerant: R407C
 Heat transfer coefficient: 5 - 6
 Heat exchanger: titanium
 Temperature scale: °Celcius
 Accuracy: 1 degree
 Housing: coated galvanised steel
 Minimum environmental temperature: 5°C
 Installation: outdoors
 Frost Stat: fitted as standard




How to choose the right Heat Pump?

| TYPE POOL | 10 kW | 20 kW | 32 kW |
|--|-------|-------|-------|
| SMALL < 40 m ³ | *** | ** | - |
| MEDIUM 40 m ³ - 80 m ³ | ** | *** | ** |
| LARGE > 80 m ³ | - | ** | *** |


- Rentability
 - * fair
 - ** good
 - *** perfect

- Average use of pool: 6 months/year
- Optimum functioning starting at 15°C
- Ideal humidity of the air: 60%



HEAT PERFECTOR

HEAT PUMPS



Enjoy, all year long...

HEAT PERFECTOR heat pumps

The benefits of a heated pool

You are the proud owner of a magnificent pool. You wish to extend the pool season and swim in a heated pool. A good heating system will allow you to use the pool from spring until late summer. Heating the pool is not that difficult and can be done in different ways. The trick is to find the most cost effective method. If you compare different heating systems, you will notice that the Heat Perfector Heat Pump is the ideal solution.



Power transformed into heat
(80% Air, 80% Water, 80% Humidity)

Performance coefficient

Voltage - 50Hz

Power consumption

Flow

By Pass Valve

Hartford connection

Hydraulic connection in PVC

Colour

Sound level

Weight net

Dimensions (l, w, h) cm

How a heat pump works

A heat pump extracts energy from the surrounding air and transfers it into heat, which is used to warm the pool water through a heat exchanger. It works to the same principle as a refrigerator or air conditioning but in reverse. The heat pump extracts heat from the air and uses it, expelling air which is about 5 degrees cooler than the surrounding environment.

The heat pump consists of a compressor incorporating refrigerant, a heat exchanger, a condenser and a ventilator.

Working




Model 4 - 5



Mo



Heat pumps




| Model 1 | Model 2 | Model 3 | Model 4 | Model 5 |
|--------------|--------------|--------------|--------------|--------------|
| 10 kW | 20 kW | 20 kW | 32 kW | 32 kW |
| 4,78 | 5,1 | 5,1 | 5,6 | 5,6 |
| 220 V Mono | 220 V Mono | 220 V Tri | 220 V Mono | 220 V Tri |
| 2,09 kW | 3,92 kW | 3,92 kW | 5,86 kW | 5,86 kW |
| 40-160 L/min | 60-230 L/min | 60-230 L/min | 60-230 L/min | 60-230 L/min |
| No | Yes | Yes | Yes | Yes |
| No | Yes | Yes | Yes | Yes |
| 1 1/2" | 2" | 2" | 2" | 2" |
| Green | Green | Green | Green | Green |
| 46 db | 48 db | 48 db | 48 db | 48 db |
| 65 Kg | 131 Kg | 131 Kg | 138 Kg | 138 Kg |
| 88 x 60 x 88 | 88 x 58 x 81 | 88 x 58 x 81 | 88 x 88 x 94 | 88 x 88 x 94 |


Why choose a heat pump?

Purchasing a heat pump is not the cheapest solution. However, taking into account the annual heating costs, a heat pump is by far the cheapest method of heating a pool, which makes it worth the investment. For each kilowatt of energy consumed, it gives off at least 5 and sometimes even 6 kilowatts of heat. When it comes to heating costs, the heat pump is unequalled. Moreover, it is a source of clean energy, and therefore very environmentally friendly.

Key benefits of the Heat Perfector



- The use of a top ventilator leads to greater efficiency in operation than competitive side mounted models.
- The scroll compressor is much quieter in operation than conventional compressors, so the unit is not intrusive when operating.
- The use of titanium for the heat exchanger leads to efficient heat transfer without any dangers of corrosion.
- The unit is housed in a galvanised steel enclosure making it ideal for operation in wet and humid conditions.
- The Heat Perfector is built for high efficiency, utilising a large case design for improved heat transfer.



el 2 - 3

Model 1